

Chanca Piedra (*Phyllanthus niruri*)

Actions on the Liver

- Khanth, S., et al. "Hepatoprotective potential of *Phyllanthus niruri* and *Andrographis paniculata* in isoniazid-rifampicin induced hepatotoxicity in rats." *Indian J. Tuberc.* 2025 Apr; 72(2): 189-193.
- Arshad, F., et al. "Hepatoprotective potential of *Phyllanthus niruri* extracts against CCl₄-induced liver injury in rats: Insight from phytochemical profiling, molecular docking, and oxidative stress studies." *Chem. Biodivers.* 2025 Jun: e00691.
- Pratima, H., et al. "Phytochemical profile and hepatoprotective potentiality of *Phyllanthus* genus: A review." *J. Pharm. Pharmacol.* 2025 Feb; 77(2): 189-205.
- Abu Hassan, M., et al. "Effects of one-year supplementation with *Phyllanthus niruri* on fibrosis score and metabolic markers in patients with non-alcoholic fatty liver disease: A randomized, double-blind, placebo-controlled trial." *Heliyon.* 2023 May; 9(6): e16652.
- Afolabi, A., et al. "Restoration of hepatic and intestinal integrity by *Phyllanthus amarus* is dependent on bax/caspase 3 modulation in intestinal ischemia-/reperfusion-induced injury." *Molecules.* 2022 Aug; 27(16): 5073.
- Sowjanya, K., et al. "Efficacy of *Phyllanthus niruri* on improving liver functions in patients with alcoholic hepatitis: A double-blind randomized controlled trial." *Indian J. Pharmacol.* 2021 Nov-Dec; 53(6): 448-456.
- Ogunmoyole, T., et al. "*Phyllanthus amarus* extract restored deranged biochemical parameters in rat model of hepatotoxicity and nephrotoxicity." *Heliyon.* 2020 Dec; 6(12): e05670.
- Ezzat, M., et al. "In-depth hepatoprotective mechanistic study of *Phyllanthus niruri*: *in vitro* and *in vivo* studies and its chemical characterization." *PLoS One.* 2020 Jan; 15(1): e0226185.
- Zhang, R., et al. "Corilagin alleviates nonalcoholic fatty liver disease in high-fat diet-induced C57BL/6 mice by ameliorating oxidative stress and restoring autophagic flux." *Front. Pharmacol.* 2020 Feb; 10: 1693.
- Suganya, S., et al. "Molecular docking studies of potential inhibition of the alcohol dehydrogenase enzyme by phyllanthin, hypophyllanthin and gallic acid." *Crit. Rev. Eukaryot. Gene Expr.* 2019; 29(4): 287-294.
- Khandia, R., et al. "Evaluation of the ameliorative effects of *Phyllanthus niruri* on the deleterious insecticide imidacloprid in the vital organs of chicken embryos." *J. Ayurveda Integr. Med.* 2019 Nov 19. (ahead of print)
- George, A., et al. "Effects of *Phyllanthus amarus* Phyllpro™ leaves on hangover symptoms: a randomized, double-blind, placebo-controlled crossover study." *Pharm. Biol.* 2019 Dec; 57(1): 145-153.
- Raghdaa, A., et al. "Adipocytokine regulation and antiangiogenic activity underlie the molecular

- mechanisms of therapeutic effects of *Phyllanthus niruri* against non-alcoholic fatty liver disease." *Nutrients*. 2018 Aug 9; 10(8).
- Singh, M., et al. "Preclinical hepatoprotective effect of herbalism against ethanol induced hepatotoxicity: A review." *Curr. Drug. Metab.* 2018; 19(12): 1002-1011.
- Nipanikar, S., et al. "Pharmacological evaluation of hepatoprotective activity of AHPL/AYTAB/0613 tablet in carbon tetrachloride-, ethanol-, and paracetamol-induced hepatotoxicity models in Wistar albino rats." *Pharmacognosy Res.* 2017 Dec; 9(Suppl 1): S41-S47.
- Reddy, B., et al. "A natural small molecule inhibitor corilagin blocks HCV replication and modulates oxidative stress to reduce liver damage." *Antiviral Res.* 2018 Feb; 150: 47-59.
- Ali, M., et al. "Selected hepatoprotective herbal medicines: Evidence from ethnomedicinal applications, animal models, and possible mechanism of actions. *Phytother. Res.* 2018 Feb; 32(2): 199-215.
- Raghdaa, A., et al. "*Phyllanthus niruri* standardized extract alleviates the progression of non-alcoholic fatty liver disease and decreases atherosclerotic risk in Sprague-Dawley rats." *Nutrients*. 2017 Jul 18; 9(7).
- Shanmugam, B., et al. "Exploratory studies of (-)-epicatechin, a bioactive compound of *Phyllanthus niruri*, on the antioxidant enzymes and oxidative stress markers in D-galactosamine-induced hepatitis in rats: A study with reference to clinical prospective." *Pharmacogn. Mag.* 2017 Jan; 13(Suppl 1): S56-S62.
- Bhattacharyya, S., et al. "*Phyllanthus niruri* protein suppresses indomethacin mediated hepatic impairments: Its role in Hsp70, HO-1, JNKs and Ca(2+) dependent inflammatory pathways." *Food Chem. Toxicol.* 2017 Apr; 102: 76-92.
- Bedi, O., et al. "Herbal induced hepatoprotection and hepatotoxicity: A critical review." *Indian J. Physiol. Pharmacol.* 2016 Jan-Mar; 60(1): 6-21.
- Jia, R., et al. "Protective action of the phyllanthin against carbon tetrachloride-induced hepatocyte damage in *Cyprinus carpio*." *In Vitro Cell. Dev. Biol. Anim.* 2016 Jan; 52(1): 1-9.
- Krithika, R., et al. "Mechanism of protective effect of phyllanthin against carbon tetrachloride-induced hepatotoxicity and experimental liver fibrosis in mice." *Toxicol. Mech. Methods.* 2015; 25(9): 708-717.
- Sethiya, N., et al, "Antioxidant and hepatoprotective effects of mixed micellar lipid formulation of phyllanthin and piperine in carbon tetrachloride-induced liver injury in rodents." *Food Funct.* 2015 Nov; 6(11): 3593-3603.
- Krithika, R., et al. "Phyllanthin inhibits CCl4-mediated oxidative stress and hepatic fibrosis by down-regulating TNF-/NF-B, and pro-fibrotic factor TGF-1 mediating inflammatory signaling." *Toxicol. Ind. Health.* 2016 May; 32(5): 953-60.
- Krithika, R., et al. "Mechanism of protective effect of phyllanthin against carbon tetrachloride-induced hepatotoxicity and experimental liver fibrosis in mice." *Toxicol. Mech. Methods.* 2015;

- 25(9): 708-17.
- Bawankule, D., et al. "Protective mechanism of lignans from *Phyllanthus amarus* against galactosamine/ lipopolysaccharide-induced hepatitis: an *in-vivo* and *in-silico* studies." *Curr. Top. Med. Chem.* 2014; 14(8): 1045-55.
- Saravanan, M., et al. "*In-vitro* qualitative and quantitative analysis of certain nutraceuticals as diuretic and antioxidant for hepatobiliary disorders (HBD)." *Int. J. Pharma Sci. Res.* 2014 Dec; 5(2): 896-902.
- Amin, Z., et al. "Gene expression profiling reveals underlying molecular mechanism of hepatoprotective effect of *Phyllanthus niruri* on thioacetamide-induced hepatotoxicity in Sprague Dawley rats." *BMC Complement. Altern. Med.* 2013 Jul; 13: 160.
- Bhattacharya, S., et al, "A 35 kD *Phyllanthus niruri* protein modulates iron mediated oxidative impairment to hepatocytes via the inhibition of ERKs, p38 MAPKs and activation of PI3k/Akt pathway." *Food Chem. Toxicol.* 2013 Jun; 56: 119-30.
- Maity, S., et al. "Bilirubin clearance and antioxidant activities of ethanol extract of *Phyllanthus amarus* root in phenylhydrazine-induced neonatal jaundice in mice." *J. Physiol. Biochem.* 2013 Sep; 69(3): 467-76.
- Wong, V., et al. "Treatment of nonalcoholic steatohepatitis with *Phyllanthus urinaria* - A randomized trial." *J. Gastroenterol. Hepatol.* 2013 Jan; 28(1): 57-62.
- Londhe, J., et al. "Geraniin and amariin, ellagitannins from *Phyllanthus amarus*, protect liver cells against ethanol induced cytotoxicity." *Fitoterapia.* 2012 Dec; 83(8): 1562-8.
- Amin, Z., et al. "Protective role of *Phyllanthus niruri* extract against thioacetamide-induced liver cirrhosis in rat model." *Evid. Based Complement. Alternat. Med.* 2012; 2012: 241583.
- Srirama, R., et al. "Hepatoprotective activity of Indian *Phyllanthus*." *Pharm. Biol.* 2012 Aug; 50(8): 948-53.
- Thakur, J., et al. "Enhancing hepatoprotective bioactives of *Phyllanthus amarus* through immobilization by growth promoters and media changes." *Indian J. Pharm. Sci.* 2011 May; 73(3): 271-5.
- Sharma, S., et al. "Hepatoprotective activity of the *Phyllanthus* species on tert-butyl hydroperoxide (t-BH)-induced cytotoxicity in HepG2 cells." *Pharmacogn. Mag.* 2011 Jul; 7(27): 229-33.
- Narayanan, B., et al. "Protective effects of *Phyllanthus amarus* on fibrotic markers during alcohol and polyunsaturated fatty acid-induced toxicity." *Toxicol. Mech. Methods.* 2011 Jan; 21(1): 48-52.
- Krithika, R., et al. "Phyllanthin of standardized *Phyllanthus amarus* extract attenuates liver oxidative stress in mice and exerts cytoprotective activity on human hepatoma cell line." *J. Clin. Exp. Hepatol.* 2011 Sep; 1(2): 57-67.
- Chirdchupunseree, H., et al. "Protective activity of phyllanthin in ethanol-treated primary culture of rat hepatocytes." *J. Ethnopharmacol.* 2010 Mar; 128(1): 172-6.

- Krithika, R., et al. "Isolation, characterization and antioxidative effect of phyllanthin against CCl₄-induced toxicity in HepG2 cell line." *Chem. Biol. Interact.* 2009 Oct 30; 181(3): 351-8.
- Krithika, R., et al. "Ameliorative potential of *Phyllanthus amarus* against carbon tetrachloride-induced hepatotoxicity." *Acta Pol. Pharm.* 2009 Sep-Oct; 66(5): 579-83.
- Guhu, G., et al. "Aqueous extract of *Phyllanthus amarus* inhibits chromium(VI)-induced toxicity in MDA-MB-435S cells." *Food Chem. Toxicol.* 2010 Jan; 48(1): 396-401.
- Krithika, R., et al. "Mitigation of carbon tetrachloride-induced damage by *Phyllanthus amarus* in liver of mice." *Acta Pol. Pharm.* 2009 Jul-Aug; 66(4): 439-44.
- Hau, D., et al. "*Phyllanthus urinaria* extract attenuates acetaminophen induced hepatotoxicity: involvement of cytochrome P450 CYP2E1." *Phytomedicine.* 2009 Aug; 16(8): 751-60.
- Krithika, R., et al. "Isolation, characterization and antioxidative effect of phyllanthin against CCl₄-induced toxicity in HepG2 cell line." *Chem. Biol. Interact.* 2009 Oct; 181(3): 351-8.
- Yadav, N., et al. "Synergistic effect of silymarin and standardized extract of *Phyllanthus amarus* against CCl₄-induced hepatotoxicity in *Rattus norvegicus*." *Phytomedicine.* 2008 Dec; 15(12): 1053-61.
- Negi, A., et al. "Recent advances in plant hepatoprotectives: a chemical and biological profile of some important leads." *Med. Res. Rev.* 2008 Sep; 28(5): 746-72.
- Appiah-Opong, R., et al. "Interactions between cytochromes P450, glutathione S-transferases and Ghanaian medicinal plants." *Food Chem. Toxicol.* 2008; 46(12): 3598-603.
- Manjrekar, A., et al. "Effect of *Phyllanthus niruri* Linn. treatment on liver, kidney and testes in CCl₄ induced hepatotoxic rats." *Indian J. Exp. Biol.* 2008 Jul; 46(7): 514-20.
- Londhe, J., et al. "Antioxidant activity of some polyphenol constituents of the medicinal plant *Phyllanthus amarus* Linn." *Redox. Rep.* 2008; 13(5): 199-207.
- Adeneye, A., et al. "Protective effect of the aqueous leaf and seed extract of *Phyllanthus amarus* on gentamicin and acetaminophen-induced nephrotoxic rats." *J. Ethnopharmacol.* 2008 Jul; 118(2): 318-23.
- Faremi, T., et al. "Hepatoprotective potentials of *Phyllanthus amarus* against ethanol-induced oxidative stress in rats." *Food Chem. Toxicol.* 2008; 46(8): 2658-64.
- Sabir, S., et al. "Water-extractable phytochemicals from *Phyllanthus niruri* exhibit distinct *in vitro* antioxidant and *in vivo* hepatoprotective activity against paracetamol-induced liver damage in mice." *Food Chem.* 2008; 111: 845-851.
- Rai, V., et al. "Chromium-induced changes in ultramorphology and secondary metabolites of *Phyllanthus amarus* Schum & Thonn. - an hepatoprotective plant." *Environ. Monit. Assess.* 2008 Dec; 147(1-3): 307-15.
- Shen, B., et al. "*Phyllanthus urinaria* ameliorates the severity of nutritional steatohepatitis both *in vitro* and *in vivo*." *Hepatology.* 2008 Feb; 47(2): 473-83.
- Xu, M., et al. "Phenolic antioxidants from the whole plant of *Phyllanthus urinaria*." *Chem. Biodivers.* 2007 Sep; 4(9): 2246-52.

- Jaleel, C., et al. "NaCl as a physiological modulator of proline metabolism and antioxidant potential in *Phyllanthus amarus*." *C. R. Biol.* 2007; 330(11): 806-13.
- Sarkar, M., et al. "Hepatocytes are protected by herb *Phyllanthus niruri* protein isolate against thioacetamide toxicity." *Pathophysiology*. 2007 Oct; 14(2): 113-20.
- Pramyothin, P., et al. "Hepatoprotective activity of *Phyllanthus amarus* Schum. et Thonn. extract in ethanol treated rats: *in vitro* and *in vivo* studies." *J. Ethnopharmacol.* 2007 Nov; 114(2): 169-73.
- Naaz, F., et al. "Hepatoprotective effect of ethanolic extract of *Phyllanthus amarus* Schum. et Thonn. on aflatoxin B1-induced liver damage in mice." *J. Ethnopharmacol.* 2007 Sep; 113(3): 503-9.
- Stickel, F., et al. "Herbal medicine in the treatment of liver diseases." *Dig. Liver Dis.* 2007; 39(4): 293-304.
- Bhattacharjee, R., et al. "Protein isolate from the herb *Phyllanthus niruri* modulates carbon tetrachloride-induced cytotoxicity in hepatocytes." *Toxicol. Mech. Methods*. 2007; 17(1): 41-7.
- Bhattacharjee, R., et al. Protein isolate from the herb, *Phyllanthus niruri* L. (Euphorbiaceae), plays hepatoprotective role against carbon tetrachloride induced liver damage via its antioxidant properties." *Food Chem. Toxicol.* 2007; 45(5): 817-26.
- Chatterjee, M., et al. "Hepatoprotective effect of aqueous extract of *Phyllanthus niruri* on nimesulide-induced oxidative stress *in vivo*." *Indian J. Biochem. Biophys.* 2006 Oct; 43(5): 299-305.
- Bhattacharjee, R., et al. "The protein fraction of *Phyllanthus niruri* plays a protective role against acetaminophen induced hepatic disorder via its antioxidant properties." *Phytother. Res.* 2006; 20(7): 595-601.
- Lee, C., et al. "Hepatoprotective effect of *Phyllanthus* in Taiwan on acute liver damage induced by carbon tetrachloride." *Am. J. Chin. Med.* 2006; 34(3): 471-82.
- Chatterjee, M., et al. "Herbal (*Phyllanthus niruri*) protein isolate protects liver from nimesulide induced oxidative stress." *Pathophysiology*. 2006 May; 13(2): 95-102.
- Khatoon, S., et al. "Comparative pharmacognostic studies of three *Phyllanthus* species." *J. Ethnopharmacol.* 2006 Mar; 104(1-2): 79-86.
- Levy, C., et al. "Use of herbal supplements for chronic liver disease." *Clin. Gastroenterol Hepatol.* 2004; 2(11): 947-56.
- Rajeshkumar, N., et al. "*Phyllanthus amarus* extract administration increases the life span of rats with hepatocellular carcinoma." *J. Ethnopharmacol.* 2000 Nov; 73(1-2): 215-19.
- Padma, P., et al. "Protective effect of *Phyllanthus fraternus* against carbon tetrachloride-induced mitochondrial dysfunction." *Life Sci.* 1999; 64(25): 2411-17.
- Jeena, K., et al. "Effect of *Embllica officinalis*, *Phyllanthus amarus* and *Picrorrhiza kurroa* on n-nitrosodiethylamine induced hepatocarcinogenesis." *Cancer Lett.* 1999; 136(1): 11-16.
- Thabrew, M., et al. "Phytogenic agents in the therapy of liver disease." *Phytother. Res.* 1996;

10(6): 461-67.

Prakash, A., et al. "Comparative hepatoprotective activity of three *Phyllanthus* species, *P. urinaria*, *P. niruri* and *P. simplex*, on carbon tetrachloride induced liver injury in the rat." *Phytother. Res.* 1995; 9(8): 594-96.

Dhir, H., et al. "Protection afforded by aqueous extracts of *Phyllanthus* species against cytotoxicity induced by lead and aluminium salts." *Phytother. Res.* 1990; 4(5): 172-76.

Sreenivasa, R. "Experimental production of liver damage and its protection with *Phyllanthus niruri* and *Capparis spinosa* (both ingredients of LIV52) in white albino rats." *Probe* 1985; 24(2): 117-19.

Syamasundar, K., et al. "Antihepatotoxic principles of *Phyllanthus niruri* herbs." *J. Ethnopharmacol.* 1985; 14(1): 41-4.

Umarani, D., et al. "Ethanol induced metabolic alterations and the effect of *Phyllanthus niruri* in their reversal." *Ancient Sci. Life* 1985; 4(3): 174-80.

Dixit, S., et al. "*Phyllanthus niruri* (Bhumyamalaki) and jaundice in children." *J. Natl. Integ. Med. Ass.* 1982; 25: 269-272.

[Return to the Rain-Tree Tropical Plant Database File on Chanca Piedra](#)

© Copyrighted 2025 by [Leslie Taylor](#). All rights reserved.