

Anti-inflammatory, Immunomodulatory, & Pain-Relieving Actions of Pau d'arco (*Tabebuia impetiginosa*)

Published Research:

- Fehrenbach, G., et al. "Anti-inflammatory and regenerative properties of herbal extracts: wound management in equine models." *Drug Target Insights*. 2025 May; 19: 41-48.
- Khaled, N., et al. "Seasonal metabolic variation in the essential oil composition of various *Tabebuia* species and evaluation of their anti-inflammatory activity *in vitro* and *in silico*." *Arch. Pharm.* (Weinheim). 2025 Jan; 358(1): e2400710.
- Joshi, K., et al. "Assessment of lapachol's anti-inflammatory effectiveness in mitigating sepsis-induced acute lung injury." *Fitoterapia*. 2025 Jan; 180: 106298.
- Rossi, I., et al. "Effects of *Handroanthus impetiginosus* (Mart. ex DC.) Mattos extract on inflammatory, immune, atherogenic profile and differentiation in THP-1 cell line." *Nat. Prod. Res.* 2024 Oct; 38(19): 3411-3416.
- Barrios-Nolasco, A., et al. "Anti-inflammatory effect of ethanolic extract from *Tabebuia rosea* (Bertol.) DC., quercetin, and anti-obesity drugs in adipose tissue in Wistar rats with diet-induced obesity." *Molecules*. 2023 Apr; 28(9): 3801.
- Rauf, A., et al. "Density functional theory, molecular docking, *In vitro* and *In vivo* anti-inflammatory investigation of lapachol isolated from *Fernandoaadenophylla*." *Heliyon*. 2023 Nov; 9(12): e22575.
- Yang, Y., et al. "Lapachol treats non-alcoholic fatty liver disease by modulating the M1 polarization of Kupffer cells via PKM2." *Int. Immunopharmacol.* 2023 Jul; 120: 110380.
- Da Silva, I., et al. "*In vivo* evaluation of analgesic and anti-inflammatory activity of hydroalcoholic extracts from *Handroanthus impetiginosus* and their chemical composition by UPLC/MS analysis." *Nat. Prod. Res.* 2023 Aug-Sep; 37(16): 2801-2807.
- Ryan, R., et al. "The medicinal plant *Tabebuia impetiginosa* potently reduces pro-inflammatory cytokine responses in primary human lymphocytes." *Sci. Rep.* 2021 Mar; 11(1): 5519.
- Kapoor, N., et al. "Redox ticklers and beyond: Naphthoquinone repository in the spotlight against inflammation and associated maladies." *Pharmacol. Res.* 2021 Dec; 174: 105968.
- Oliveira, A., et al. "β-Lapachone increases survival of septic mice by regulating inflammatory and oxidative response." *Oxid. Med. Cell. Longev.* 2020 Dec; 2020: 8820651.
- Mokarizadeh, N., et al. "An evaluation on potential anti-inflammatory effects of β-lapachone." *Int. Immunopharmacol.* 2020 Oct; 87: 106810.

Sarmiento-Campo, M., et al. "[Anti-inflammatory effect of the ethanolic extract of the bark of *Tabebuia impetiginosa* (Mart. ex DC.) Standley, Guayacán, in rats.]" *Rev. Peru Med. Integrativa*. 2018; 3(2): 98- 03.

Park, J., et al. "Tabetri™ (*Tabebuia avellanedae* ethanol extract) ameliorates atopic dermatitis symptoms in mice." *Mediators Inflamm*. 2018 Mar; 2018: 9079527.

Beg, M., et al. "Using a novel NQO1 bioactivatable drug, beta-lapachone (ARQ761), to enhance chemotherapeutic effects by metabolic modulation in pancreatic cancer." *J. Surg. Oncol*. 2017 Jul; 116(1): 83-88.

Ma, S., et al. "Taheebo polyphenols attenuate free fatty acid-induced inflammation in murine and human macrophage cell lines as inhibitor of cyclooxygenase-2." *Front. Nutr*. 2017 Dec; 4: 63.

Park, H., et al. "Oral administration of taheebo (*Tabebuia avellanedae* Lorentz ex Griseb.) water extract prevents DSS-induced colitis in mice by up-regulating type II T helper immune responses." *BMC Complement. Altern. Med*. 2017 Sep; 17(1): 448.

Park, J., et al. "Tabetri™ (*Tabebuia avellanedae* ethanol extract) ameliorates osteoarthritis symptoms induced by monoiodoacetate through its anti-inflammatory and chondroprotective activities." *Mediators Inflamm*. 2017; 2017: 3619879.

Zhang, L., et al. "Iridoid esters from *Tabebuia avellanedae* and their *in vitro* anti-inflammatory activities." *Planta Med*. 2017 Jan; 83(1-02): 164-171.

Suo, M., et al. "Iridoid glycosides from *Tabebuia avellanedae*." *Chem. Biodivers*. 2016 Dec; 13(12): 1611-1616.

Zhang, L., et al. "Iridoid esters from *Tabebuia avellanedae* and their *in vitro* anti-inflammatory activities." *Planta Med*. 2017 Jan; 83(1-02): 164-171.

Park, J., et al. "Syk and IRAK1 contribute to immunopharmacological activities of anthraquinone-2-carboxylic acid." *Molecules*. 2016 Jun; 21(6).

Wang, Q., et al. "Veratric acid inhibits LPS-induced IL-6 and IL-8 production in human gingival fibroblasts." *Inflammation*. 2016 Feb; 39(1): 237-242.

Zhang, L., et al. "Anti-inflammatory cyclopentene derivatives from the inner bark of *Tabebuia avellanedae*." *Fitoterapia*. 2016 Mar; 109: 217-23.

Richter, M., et al. "Pau d'arco activates Nrf2-dependent gene expression via the MEK/ERK-pathway." *J. Toxicol. Sci*. 2014 Apr; 39(2): 353-61.

Suo, M., et al. "Bioactive phenylpropanoid glycosides from *Tabebuia avellanedae*." *Molecules*. 2013; 18: 7336–7345.

Sitônio, M. et al. "Anti-inflammatory and anti-arthritic activities of 3, 4-dihydro-2, 2-dimethyl-2H-naphthol [1, 2-b] pyran-5, 6-dione (β -lapachone)." *Inflamm. Res*. 2013; 62: 107-113.

Lee, M., et al. "Analgesic and anti-inflammatory effects in animal models of an ethanolic extract of Taheebo, the inner bark of *Tabebuia avellanedae*." *Mol. Med. Report*. 2012 Oct; 6(4): 791-6.

Suo, M., et al. "Anti-inflammatory constituents from *Tabebuia avellanedae*." *Fitoterapia*. 2012 Dec; 83(8): 1484-8.

Kim, B., et al. "Regulation of macrophage and monocyte immune responses by water extract from the inner bark of *Tabebuia avellanedae*." *JMPR*. 2010; 4: 431–438.

Byeon, S., et al. "In vitro and in vivo anti-inflammatory effects of taheebo, a water extract from the inner bark of *Tabebuia avellanedae*." *J Ethnopharmacol*. 2008 Sep; 119(1): 145-52.

Bohler, T., et al. "Tabebuia avellanedae extracts inhibit IL-2-independent T-lymphocyte activation and proliferation." *Transpl. Immunol*. 2008 Feb; 18(4): 319-23.

Awale, S., et al. "Nitric oxide (NO) production inhibitory constituents of *Tabebuia avellanedae* from Brazil." *Chem. Pharm. Bull*. 2005; 53(6): 710-3.

Lee, J. H., et al. "Down-regulation of cyclooxygenase-2 and telomerase activity by beta-lapachone in human prostate carcinoma cells." *Pharmacol. Res*. 2005; 51(6): 553-60.

Tzeng, H., et al. "Beta-Lapachone reduces endotoxin-induced macrophage activation and lung edema and mortality." *Am. J. Respir. Crit. Care Med*. 2003 Jul; 168(1): 85-91.

de Miranda, F. G., et al. "Antinociceptive and antiedematogenic properties and acute toxicity of *Tabebuia avellanedae* Lor. ex Griseb. inner bark aqueous extract." *BMC. Pharmacol*. 2001; 1(1): 6.

Koyama, J., et al. "Cyclopentene dialdehydes from *Tabebuia impetiginosa*." *Phytochemistry* 2000 May; 53(8): 869-72.

Oga, S., et al. "Toxicidade e atividade anti-inflamatoria de *Tabebuia avellanedae* Lorentz ('Ipe Roxo')." *Rev. Fac. Farm. Bioquim*. 1969; 7: 4.

Return to the [Tropical Database file for Pau d'arco](#)
 Copyrighted 2025 by Leslie Taylor. All rights reserved.