

Anti-Obesity, Thermogenic (fat-burning), & Cholesterol-Lowering Actions of [Yerba Mate \(*Ilex paraguariensis*\)](#)

Tolouei, S., et al. "Preclinical development of a standardized extract of *Ilex paraguariensis* A. St.-Hil for the treatment of obesity and metabolic syndrome." *Pharmacol. Res.* 2025 Mar; 213: 107607.

Cooper-Leavitt, E., et al. "The incretin effect of yerba maté (*Ilex paraguariensis*) is partially dependent on gut-mediated metabolism of ferulic acid." *Nutrients.* 2025 Feb; 17(4): 625.

Pezzino, S., et al. "Innovative treatments for obesity and NAFLD: A bibliometric study on antioxidants, herbs, phytochemicals, and natural compounds." *Heliyon.* 2024 Aug; 10(16): e35498.

Kudo, M., et al. "*Ilex paraguariensis* A. St. Hil. improves lipid metabolism in high-fat diet-fed obese rats and suppresses intracellular lipid accumulation in 3T3-L1 adipocytes via the AMPK-dependent and insulin signaling pathways." *Food Nutr. Res.* 2024 Jan; 68.

Walton, C., et al. "Yerba Maté (*Ilex paraguariensis*) supplement exerts beneficial, tissue-specific effects on mitochondrial efficiency and redox status in healthy adult mice." *Nutrients.* 2023 Oct; 15(20): 4454.

Andrade, V., et al. "Yerba mate consumption by ovariectomized rats alters white adipose tissue." *Mol. Cell. Endocrinol.* 2023 Mar; 564: 111881.

Masson, W., et al. "Effect of Yerba Mate (*Ilex paraguariensis*) on lipid levels: A systematic review and meta-analysis." *Plant Foods Hum. Nutr.* 2022 Sep; 77(3): 353-366.

Pachura, N., et al. "Biochemical and molecular investigation of the effect of saponins and terpenoids derived from leaves of *Ilex aquifolium* on lipid metabolism of obese Zucker rats." *Molecules.* 2022 May; 27(11): 3376.

Rocha, D., et al. "Adipose tissue of female Wistar rats respond to *Ilex paraguariensis* treatment after ovariectomy surgery." *J. Tradit. Complement. Med.* 2020 Aug; 11(3): 238-248.

Chianese, G., et al. "Bioactive triterpenoids from the caffeine-rich plants guayusa and maté." *Food Res. Int.* 2019 Jan; 115: 504-510.

Avena Álvarez, M., et al. "[Association between consumption of yerba mate and lipid profile in overweight women]." *Nutr. Hosp.* 2019 Dec; 36(6): 1300-1306.

Balsan, G., et al. "Effect of yerba mate and green tea on paraoxonase and leptin levels in patients affected by overweight or obesity and dyslipidemia: A randomized clinical trial." *Nutr. J.* 2019 Jan; 18(1): 5.

Sahebkar-Khorasani, M., et al. "Herbal medicines for suppressing appetite: A systematic review of randomized clinical trials." *Complement. Ther. Med.* 2019 Jun; 44: 242-252.

Machado, M., et al. "*Ilex paraguariensis* modulates fat metabolism in *Caenorhabditis elegans* through purinergic system (ADOR-1) and nuclear hormone receptor (NHR-49) pathways." *PLoS One*. 2018 Sep; 13(9): e0204023.

Dos Santos, T., et al. "Yerba mate stimulates mitochondrial biogenesis and thermogenesis in high-fat-diet-induced obese mice." *Mol. Nutr. Food Res.* 2018 May 31: e1800142.

de Oliveira, E., et al. "Treatment with *Ilex paraguariensis* (yerba mate) aqueous solution prevents hepatic redox imbalance, elevated triglycerides, and microsteatosis in overweight adult rats that were precociously weaned." *Braz. J. Med. Biol. Res.* 2018; 51(6) :e7342.

Chaves, G., et al. "Heavy drinkers of *Ilex paraguariensis* beverages show lower lipid profiles but higher body weight." *Phytother. Res.* 2018 Jun; 32(6): 1030-1038.

Miranda, A., et al. "[Regional oxidative stress in encephalon of female mice with polyphenolic exposure from tea extracts in oral overweight plant-based treatment]." *Rev. Fac. Cien. Med. Univ. Nac. Cordoba*. 2017 Sep; 74(3): 197-202.

Choi, M., et al. "Long-term dietary supplementation with yerba mate ameliorates diet-induced obesity and metabolic disorders in mice by regulating energy expenditure and lipid metabolism." *J. Med. Food*. 2017 Dec; 20(12): 1168-1175.

Colpo, A., et al. "*Ilex paraguariensis* extracts extend the lifespan of *Drosophila melanogaster* fed a high-fat diet." *Braz. J. Med. Biol. Res.* 2017 Nov; 51(2): e6784.

Alkhatib, A., et al. "Yerba maté (*Ilex paraguariensis*) metabolic, satiety, and mood state effects at rest and during prolonged exercise." *Nutrients*. 2017 Aug 15; 9(8).

Conceição, E., et al. "Effects of *Ilex paraguariensis* (yerba mate) on the hypothalamic signalling of insulin and leptin and liver dysfunction in adult rats overfed during lactation." *J. Dev. Orig. Health Dis.* 2017 Feb; 8(1): 123-132.

Oh, K., et al. "Optimization of pancreatic lipase inhibitory and antioxidant activities of *Ilex paraguariensis* by using response surface methodology." *Arch. Pharm. Res.* 2016 Jul; 39(7): 946-52.

Gamboa-Gómez, C., et al. "Plants with potential use on obesity and its complications." *EXCLI J.* 2015 Jul; 14: 809-31.

Kim, S., et al. "Anti-obesity effects of Yerba Mate (*Ilex Paraguariensis*): a randomized, double-blind, placebo-controlled clinical trial." *BMC Complement. Altern. Med.* 2015 Sep; 15: 338.

Messina, D., et al. "[Lipid - lowering effect of mate tea intake in dyslipidemic subjects]." *Nutr. Hosp.* 2015 May; 31(5): 2131-9.

Gambero, A., et al. "The positive effects of yerba maté (*Ilex paraguariensis*) in obesity." *Nutrients*. 2015 Jan; 7(2): 730-50.

Lima Nda, S., et al. "Effects of *Ilex paraguariensis* (yerba mate) treatment on leptin resistance and inflammatory parameters in obese rats primed by early weaning." *Life Sci.* 2014 Oct; 115(1-

2): 29-35.

de Meneses Fujii, T., et al. "Yerba Mate (*Ilex paraguariensis*) modulates NF-kappaB pathway and AKT expression in the liver of rats fed on a high-fat diet." *Int. J. Food Sci. Nutr.* 2014 Dec; 65(8): 967-76.

Bravo, L., et al. "Hypocholesterolaemic and antioxidant effects of yerba mate (*Ilex paraguariensis*) in high-cholesterol fed rats." *Fitoterapia.* 2014 Jan; 92: 219-29.

Lima Nda, S., et al. "*Ilex paraguariensis* (yerba mate) improves endocrine and metabolic disorders in obese rats primed by early weaning." *Eur. J. Nutr.* 2014 Feb; 53(1): 73-82.

Carmo, L., et al. "The effects of yerba maté (*Ilex paraguariensis*) consumption on IL-1, IL-6, TNF- α and IL-10 production by bone marrow cells in wistar rats fed a high-fat diet." *Int. J. Vitam. Nutr. Res.* 2013; 83(1): 26-35.

Gao, H., et al. "Effects of Yerba Mate tea (*Ilex paraguariensis*) on vascular endothelial function and liver lipoprotein receptor gene expression in hyperlipidemic rats." *Fitoterapia.* 2013 Jan; 84: 264-72.

Borges, M., et al. "The effect of mate tea (*Ilex paraguariensis*) on metabolic and inflammatory parameters in high-fat diet-fed Wistar rats." *Int. J. Food Sci. Nutr.* 2013 Aug; 64(5): 561-9.

Arçari, D., et al. "The *in vitro* and *in vivo* effects of yerba mate (*Ilex paraguariensis*) extract on adipogenesis." *Food Chem.* 2013 Nov; 141(2): 809-15.

Arçari, D., et al. "Modulatory effects of yerba maté (*Ilex paraguariensis*) on the PI3K-AKT signaling pathway." *Mol. Nutr. Food Res.* 2013 Oct; 57(10): 1882-5.

Gao, H., et al. "Beneficial effects of Yerba Mate tea (*Ilex paraguariensis*) on hyperlipidemia in high-fat-fed hamsters." *Exp. Gerontol.* 2013 Jun; 48(6): 572-8.

Balzan, S., et al. "Lipid-lowering effects of standardized extracts of *Ilex paraguariensis* in high-fat-diet rats." *Fitoterapia.* 2013 Apr; 86: 115-22.

Resende, P., et al. "The activity of mate saponins (*Ilex paraguariensis*) in intra-abdominal and epididymal fat, and glucose oxidation in male Wistar rats." *J. Ethnopharmacol.* 2012 Dec; 144(3): 735-40.

Pimentel, G., et al. "Yerba mate extract (*Ilex paraguariensis*) attenuates both central and peripheral inflammatory effects of diet-induced obesity in rats." *J. Nutr. Biochem.* 2012 Jul 25.

Boaventura, B., et al. "Association of mate tea (*Ilex paraguariensis*) intake and dietary intervention and effects on oxidative stress biomarkers of dyslipidemic subjects." *Nutrition.* 2012 Jun; 28(6): 657-64.

Gosmann, G., et al. "Phenolic compounds from maté (*Ilex paraguariensis*) inhibit adipogenesis in 3T3-L1 preadipocytes." *Plant Foods Hum. Nutr.* 2012 Jun; 67(2): 156-61.

Kang, Y., et al. "Anti-obesity and anti-diabetic effects of Yerba Mate (*Ilex paraguariensis*) in C57BL/6J mice fed a high-fat diet." *Lab Anim Res.* 2012 Mar; 28(1): 23-9.

Hussein, G., et al. "Mate tea (*Ilex paraguariensis*) promotes satiety and body weight lowering in mice: involvement of glucagon-like peptide-1." *Biol. Pharm. Bull.* 2011; 34(12): 1849-55.

Klein, G., et al. "Mate tea (*Ilex paraguariensis*) improves glycemic and lipid profiles of type 2 diabetes and pre-diabetes individuals: a pilot study." *J. Am. Coll. Nutr.* 2011 Oct; 30(5): 320-32.

Huessein, G., et al. "Protective and ameliorative effects of maté (*Ilex paraguariensis*) on metabolic syndrome in TSOD mice." *Phytomedicine.* 2011 Dec; 19(1): 88-97.

Silva, R., et al. "The effect of aqueous extract of gross and commercial yerba mate (*Ilex paraguariensis*) on intra-abdominal and epididymal fat and glucose levels in male Wistar rats." *Fitoterapia.* 2011 Sep; 82(6): 818-26

Arcari, D., et al. "Anti-inflammatory effects of yerba maté extract (*Ilex paraguariensis*) ameliorate insulin resistance in mice with high fat diet-induced obesity." *Mol. Cell. Endocrinol.* 2011 Mar; 335(2): 110-5.

Bracesco, N., et al. "Recent advances on *Ilex paraguariensis* research: minireview." *J. Ethnopharmacol.* 2011 Jul; 136(3): 378-84.

de Moralis, E., et al. "Consumption of yerba mate (*Ilex paraguariensis*) improves serum lipid parameters in healthy dyslipidemic subjects and provides an additional LDL-cholesterol reduction in individuals on statin therapy." *J. Agric. Food Chem.* 2009 Sep; 57(18): 8316-24.

Martins, F., et al. "Maté tea inhibits in vitro pancreatic lipase activity and has hypolipidemic effect on high-fat diet-induced obese mice." *Obesity* (Silver Spring). 2010 Jan; 18(1): 42-7.

Arcari, D., et al. "Antiobesity effects of yerba maté extract (*Ilex paraguariensis*) in high-fat diet-induced obese mice." *Obesity* (Silver Spring). 2009 Dec; 17(12): 2127-33.

Pang, J., et al. "*Ilex paraguariensis* extract ameliorates obesity induced by high-fat diet: potential role of AMPK in the visceral adipose tissue." *Arch. Biochem. Biophys.* 2008 Aug ; 476(2): 178-85.

Dickel, M., et al. "Plants popularly used for losing weight purposes in Porto Alegre, South Brazil." *J. Ethnopharmacol.* 2007 Jan; 109(1): 60-71.

Mosimann, A., et al. "Aqueous extract of *Ilex paraguariensis* attenuates the progression of atherosclerosis in cholesterol-fed rabbits." *Biofactors.* 2006; 26(1): 59-70.

Pittler, M., "Adverse events of herbal food supplements for body weight reduction: systematic review." *Obes. Rev.* 2005 May; 6(2): 93-111.

Paganini Stein, F., et al. "Vascular responses to extractable fractions of *Ilex paraguariensis* in rats fed standard and high-cholesterol diets." *Biol. Res. Nurs.* 2005 Oct; 7(2): 146-56.

Collomp, K., et al. "Effects of salbutamol and caffeine ingestion on exercise metabolism and performance." *Int. J. Sports Med.* 2002; 23(8): 549-54.

Anderson, T., et al. "Weight loss and delayed gastric emptying following a South American herbal preparation in overweight patients." *J. Hum. Nutr. Diet.* 2001; 14(3): 243-50.

Martinet, A., et al. "Thermogenic effects of commercially available plant preparations aimed at treating human obesity." *Phytomedicine.* 1999; 6(4): 231-38.

By Leslie Taylor. © Copyrighted September 2025. All Rights Reserved.
Return to the Rain-Tree [Tropical Plant Database File on Yerba Mate](#)