

Cellular Protective & Antioxidant Actions of Yerba Mate (*Ilex paraguariensis*)

Platkiewicz, J., et al. "Antioxidant capacity, phenolic compounds, and other constituents of cold and hot yerba mate (*Ilex paraguariensis*) infusions." *Antioxidants* (Basel). 2024 Nov; 13(12): 1467.

Caruso, F., et al. "Antioxidant scavenging of the superoxide radical by yerba mate (*Ilex paraguariensis*) and black tea (*Camellia sinensis*) plus caffeic and chlorogenic acids, as shown via DFT and hydrodynamic voltammetry." *Int. J. Mol. Sci.* 2024 Aug; 25(17): 9342.

Mayer, M., et al. "Yerba mate as a protectant against lipoproteins oxidation." *Chem. Biodivers.* 2024 Apr; 21(4): e202301770.

Cogoi, L., et al. "Inhibition of glycation end products formation and antioxidant activities of *Ilex paraguariensis*: Comparative study of fruit and leaves extracts." *J. Pharmacopuncture.* 2023 Dec 31; 26(4): 338-347.

Santos, D., et al. "Gut microbiota modulation by bioactive compounds from *Ilex paraguariensis*: an *in vivo* study." *Plant Foods Hum. Nutr.* 2023 Dec; 78(4): 796-802.

Walton, C., et al. "Yerba maté (*Ilex paraguariensis*) supplement exerts beneficial, tissue-specific effects on mitochondrial efficiency and redox status in healthy adult mice." *Nutrients.* 2023 Oct; 15(20): 4454.

Muccillo-Baisch, A., et al. "Beneficial effects of mate-herb, *Ilex paraguariensis* St. Hil. against potassium dichromate-induced oxidative stress and nephrotoxicity." *J. Toxicol. Environ. Health A.* 2023 Jul; 86(13): 446-457.

Baerley, V., et al. "Antioxidant action of yerba mate on carcass and meat characteristics and fatty acid profile in meat and fat of lambs finished in tropical pastures." *Trop. Anim. Health. Prod.* 2023 Mar; 55(2): 109.

de Melo Soares, É., et al. "Yerba mate (*Ilex paraguariensis*) as a source of antioxidants with soybean grain in supplementation of lactating ewes reared in tropical pastures." *Trop. Anim. Health Prod.* 2022 Dec; 55(1): 13.

Tate, P., et al. "*Ilex paraguariensis* extracts prevent oxidative damage in a mouse model of age-related macular degeneration." *Mol. Nutr. Food Res.* 2022 May; 66(10): e2100807.

Rzasa-Duran, E., et al. "Yerba Mate as a source of elements and bioactive compounds with antioxidant activity." *Antioxidants* (Basel). 2022 Feb; 11(2): 371.

Cypriano, M., et al. "Effect of testosterone replacement therapy and mate tea (*Ilex paraguariensis*) on biochemical, functional and redox parameters of saliva in orchietomized rats." *Arch. Oral Biol.* 2021 Dec; 132: 105289.

Barbato, O., et al. "Dietary supplementation of yerba mate (*Ilex paraguariensis*) during the dry period improves redox balance in lactating dairy cows." *Antioxidants*. 2019 Feb; 8(2).

Becker, A., et al. "Spray-dried yerba mate extract capsules: clinical evaluation and antioxidant potential in healthy individuals." *Plant Foods Hum. Nutr.* 2019 Dec; 74(4): 495-500.

Cittadini, M., et al. "Effects of bioavailable phenolic compounds from *Ilex paraguariensis* on the brain of mice with lung adenocarcinoma." *Phytother. Res.* 2019 Apr; 33(4): 1142-1149.

Zhou, F., et al. "Antioxidant efficiency and mechanisms of green tea, rosemary or maté extracts in porcine Longissimus dorsi subjected to iron-induced oxidative stress." *Food Chem.* 2019 Nov; 298: 125030.

Panza, V., et al. "Effect of mate tea (*Ilex paraguariensis*) on the expression of the leukocyte NADPH oxidase subunit p47(phox) and on circulating inflammatory cytokines in healthy men: a pilot study." *Int. J. Food Sci. Nutr.* 2019 Mar; 70(2): 212-221.

Correa, V., et al. "Yerba mate aqueous extract improves the oxidative and inflammatory states of rats with adjuvant-induced arthritis." *Food Funct.* 2019 Sep; 10(9): 5682-5696.

Portela, J., et al. "*Ilex paraguariensis* attenuates changes in mortality, behavioral and biochemical parameters associated to methyl malonate or malonate exposure in *Drosophila melanogaster*." *Neurochem. Res.* 2019 Sep; 44(9): 2202-2214.

Cuelho, C., et al. "Topical formulation containing *Ilex paraguariensis* extract increases metalloproteinases and myeloperoxidase activities in mice exposed to UVB radiation." *J. Photochem. Photobiol. B.* 2018 Dec; 189: 95-103.

Machado, M., et al. "*Ilex paraguariensis* modulates fat metabolism in *Caenorhabditis elegans* through purinergic system (ADOR-1) and nuclear hormone receptor (NHR-49) pathways." *PLoS One*. 2018 Sep; 13(9): e0204023.

Kungel, P., et al. "Antioxidant and antimicrobial activities of a purified polysaccharide from yerba mate (*Ilex paraguariensis*)." *Int. J. Biol. Macromol.* 2018 Jul; 114: 1161-1167.

Rodríguez-Arzuaga, M., et al. "New antioxidant treatment with yerba mate (*Ilex paraguariensis*) infusion for fresh-cut apples: Modeling, optimization, and acceptability." *Food Sci. Technol. Int.* 2018 Apr; 24(3): 223-231.

Bortoli, P., et al. "*Ilex paraguariensis*: Potential antioxidant on aluminium toxicity, in an experimental model of Alzheimer's disease." *J. Inorg. Biochem.* 2018 Apr; 181: 104-110.

Mateos, R., et al. "Improved LC-MS(n) characterization of hydroxycinnamic acid derivatives and flavonols in different commercial mate (*Ilex paraguariensis*) brands. Quantification of polyphenols, methylxanthines, and antioxidant activity." *Food Chem.* 2018 Feb; 241: 232-241.

Baeza, G., et al. "Polyphenol content, *in vitro* bioaccessibility and antioxidant capacity of widely consumed beverages." *J. Sci. Food Agric.* 2018 Mar; 98(4): 1397-1406.

Albrecht, C., et al. "[Bioavailability of phenolic compounds and redox state of murine liver and kidney as sex-dependent responses to phytoextracts.]" *Rev. Fac. Cien. Med. Univ. Nac. Cordoba*. 2017 Dec; 74(4): 338-344.

Santiago, P., et al. "Mechanisms underlying antiatherosclerotic properties of an enriched fraction obtained from *Ilex paraguariensis* A. St.-Hil." *Phytomedicine*. 2017 Oct; 34: 162-170.

Scotta, A., et al. "[In vitro modulating activity of aqueous extracts from American plants on chlorpyrifos-induced toxicity on murine splenocytes]." *Rev. Fac. Cien. Med. Univ. Nac. Cordoba*. 2017 Dec; 74(4): 325-330.

Gebara, K., et al. "Daily intake of chlorogenic acids from consumption of maté (*Ilex paraguariensis* A.St.-Hil.) traditional beverages." *J. Agric. Food. Chem.* 2017 Nov; 65(46): 10093-10100.

Pereira, C., et al. "*Ilex paraguariensis* decreases oxidative stress in bone and mitigates the damage in rats during perimenopause." *Exp. Gerontol.* 2017 Nov; 98: 148-152.

Bains, Y., et al. "*Ilex paraguariensis* and its main component chlorogenic acid inhibit fructose formation of advanced glycation endproducts with amino acids at conditions compatible with those in the digestive system." *Fitoterapia*. 2017 Mar; 117: 6-10.

Portela, J., et al. "*Ilex paraguariensis* crude extract acts on protection and reversion from damage induced by T-butyl hydroperoxide in human erythrocytes: a comparative study with isolated caffeic and/or chlorogenic acids." *J. Sci. Food Agric.* 2017 May; 97(7): 2007-2014.

Oh, K., et al. "Optimization of pancreatic lipase inhibitory and antioxidant activities of *Ilex paraguariensis* by using response surface methodology." *Arch. Pharm. Res.* 2016 Jul; 39(7): 946-52.

Petrilli, A., et al. "Effect of chocolate and yerba mate phenolic compounds on inflammatory and oxidative biomarkers in HIV/AIDS individuals." *Nutrients*. 2016 May 23; 8(5).

Piovezan-Borges, A., et al. "Antioxidant potential of yerba mate (*Ilex paraguariensis* St. Hil.) extracts in *Saccharomyces cerevisiae* deficient in oxidant defense genes." *Braz. J. Biol.* 2016 Jun; 76(2): 539-44.

Panza, V., et al. "Effects of mate tea consumption on muscle strength and oxidative stress markers after eccentric exercise." *Br. J. Nutr.* 2016 Apr; 115(8): 1370-8.

de Oliveira, C., et al. "Statistical approaches to assess the association between phenolic compounds and the *in vitro* antioxidant activity of *Camellia sinensis* and *Ilex paraguariensis* teas." *Crit. Rev. Food Sci. Nutr.* 2015; 55(10): 1456-73.

Branco, C., et al. "Organic and conventional yerba mate (*Ilex paraguariensis* A. St. Hil) improves metabolic redox status of liver and serum in Wistar rats." *Antioxidants*. 2013 Jul; 2(3): 100-9.

Peralta, I., et al. "Prevention of hydrogen peroxide-induced red blood cells lysis by *Ilex paraguariensis* aqueous extract: participation of phenolic and xanthine compounds." *Phytother. Res.* 2013 Feb; 27(2): 192-8

Fernandes, E., et al. "Yerba mate (*Ilex paraguariensis*) enhances the gene modulation and activity of paraoxonase-2: *in vitro* and *in vivo* studies." *Nutrition*. 2012 Nov-Dec; 28(11-12): 1157-64.

Gorjanovic, S., et al. "Antioxidant capacity of teas and herbal infusions: polarographic

assessment." *J. Agric. Food Chem.* 2012 Sep; 60(38): 9573-80.

Boaventura, B., et al. "Association of mate tea (*Ilex paraguariensis*) intake and dietary intervention and effects on oxidative stress biomarkers of dyslipidemic subjects." *Nutrition.* 2012 Jun; 28(6): 657-64.

Conforti, A., et al. "Yerba Mate (*Ilex paraguariensis*) consumption is associated with higher bone mineral density in postmenopausal women." *Bone.* 2012 Jan; 50(1): 9-13.

Cunha, F., et al. "Reduction in oxidative stress levels in the colonic mucosa without fecal stream after the application of enemas containing aqueous *Ilex paraguariensis* extract." *Acta. Cir. Bras.* 2011 Aug; 26(4): 289-96.

Coentrao, A., et al. "Antioxidant activity of polyphenols from green and toasted mate tea." *Nat. Prod. Commun.* 2011 May; 6(5): 651-6.

Beal, P., et al. "Oxidative stability of fermented Italian-type sausages using mate leaves (*Ilex paraguariensis* St. Hil) extract as natural antioxidant." *Int. J. Food Sci. Nutr.* 2011 Nov; 62(7): 703-10.

Berte, K., et al. "Chemical composition and antioxidant activity of yerba-mate (*Ilex paraguariensis* A. St.-Hil., Aquifoliaceae) extract as obtained by spray drying." *J. Agric. Food Chem.* 2011 May; 59(10): 5523-7.

Vieira, M., et al. "Phenolic acids and methylxanthines composition and antioxidant properties of mate (*Ilex paraguariensis*) residue." *J Food Sci.* 2010 Apr; 75(3): C280-5.

Leonard, S., et al. "Analysis of free-radical scavenging of Yerba Mate (*Ilex paraguriensis*) using electron spin resonance and radical-induced DNA damage." *J. Food. Sci.* 2010 Jan-Feb; 75(1): C14-20.

Xu, G., et al. "Chemical constituents from the leaves of *Ilex paraguariensis* inhibit human neutrophil elastase." *Arch. Pharm. Res.* 2009 Sep; 32(9): 1215-20.

Matsumoto, R., et al. "Effects of mate tea (*Ilex paraguariensis*) ingestion on mRNA expression of antioxidant enzymes, lipid peroxidation, and total antioxidant status in healthy young women." *J. Agric. Food Chem.* 2009 Mar; 57(5): 1775-80.

Martins, F., et al. "Consumption of mate tea (*Ilex paraguariensis*) decreases the oxidation of unsaturated fatty acids in mouse liver." *Br. J. Nutr.* 2009 Feb; 101(4): 527-32.

Filip, R., et al. "Effect of *Ilex* extracts and isolated compounds on peroxidase secretion of rat submandibular glands." *Food. Chem. Toxicol.* 2007 Apr; 45(4): 649-55.

Bixby, M., et al. "*Ilex paraguariensis* extracts are potent inhibitors of nitrosative stress: a comparative study with green tea and wines using a protein nitration model and mammalian cell cytotoxicity." *Life Sci.* 2005 Jun; 77(3): 345.

Arbiser, J., et al. "Naturally occurring proteasome inhibitors from mate tea (*Ilex paraguayensis*) serve as models for topical proteasome inhibitors." *J. Invest. Dermatol.* 2005 Aug; 125(2): 207-12.

Chandra, S., et al. "Polyphenolic compounds, antioxidant capacity, and quinone reductase

activity of an aqueous extract of *Ardisia compressa* in comparison to mate (*Ilex paraguariensis*) and green (*Camellia sinensis*) teas." *J. Agric. Food Chem.* 2004 Jun; 52(11): 3583-9.

Ramirez-Mares, M. V., et al. "In vitro chemopreventive activity of *Camellia sinensis*, *Ilex paraguariensis* and *Ardisia compressa* tea extracts and selected polyphenols." *Mutat. Res.* 2004 Oct; 554(1-2): 53-65.

Bracesco, N., et al. "Antioxidant activity of a botanical extract preparation of *Ilex paraguariensis*: prevention of DNA double-strand breaks in *Saccharomyces cerevisiae* and human low-density lipoprotein oxidation." *J. Altern. Complement. Med.* 2003 Jun; 9(3): 379-87.

Actis-Goretta, L., et al. "Comparative study on the antioxidant capacity of wines and other plant-derived beverages." *Ann. N. Y. Acad. Sci.* 2002; 957: 279-83.

Filip, R., et al. "Antioxidant activity of *Ilex paraguariensis* and related species." *Nutr. Res.* 2000; 20(10): 1437-46.

Schinella, G., et al. "Antioxidant effects of an aqueous extract of *Ilex paraguariensis*." *Biochem. Biophys. Res. Commun.* 2000; 269(2): 357-60.

Gugliucci, A. "Antioxidant effects of *Ilex paraguariensis*: induction of decreased oxidability of human LDL *in vivo*." *Biochem. Biophys. Res. Commun.* 1996; 224(2): 338-44.

Gugliucci, A. "Low-density lipoprotein oxidation is inhibited by extracts of *Ilex paraguariensis*." *Biochem. Mol. Biol. Int.* 1995; 35(1): 47-56.

By Leslie Taylor. © Copyrighted September 2025. All Rights Reserved.
Return to the Rain-Tree [Tropical Plant Database File on Yerba Mate](#)